



Standard Rolling Series

1-800-565-2165

Full Line Climbing & Access Products / Standard Rolling Series

Construction & Features:

- 1½" Tubular steel construction
- Powder coat gray paint finish
- First step actuated locking system on 6 step and larger ladders
- Spring loaded casters standard on 5 step and smaller ladders
- Standard Perforated or Grip Strut™ slip-resistant tread design
- Optional 20" & 30" deep top platforms
- Non-marking wheels
- 450 lb. Rated capacity
- Optional Safety Walk tread
- Optional Step-Lock available on 4 thru 5 step models

Tri-Arc manufactures three standard rolling ladder models designed to be rolled from job to job in any environment. All models comply with OSHA 1910.29 & ANSI A14.7

Steel Rolling Ladders (SR)



Steel Rolling Models Options

Stair Treads	Standard Feature	Optional Feature
Perforated	<input type="radio"/>	
Grip Strut	<input type="radio"/>	
Safety Walk		<input type="radio"/>

Top Step

10"	<input type="radio"/>	
20"*		<input type="radio"/>
30"*		<input type="radio"/>

Locking System

Spring Loaded Casters		
1-5 Step	<input type="radio"/>	
StepLock		
6-16 Step	<input type="radio"/>	
4-5 Step		<input type="radio"/>

Shell

Hanging Shelf	<input type="radio"/>
---------------	-----------------------

*Not available on KD Flatpack

California OSHA Requirements

For more rigorous CAL-OSHA requirements for ladders with top platforms 50" and higher, the following parts are required to meet code: Contact us for pricing.

RW, WL Part #	Models
C	5 – 16 steps
KD Part #	Models
GRCAL0509	5 – 9 steps
GRCAL1012	10 – 12 steps
GRCAL1315	13 – 15 steps
KDCAL16	16 steps
GRCAL05EC†	5 – 7 steps

Perforated Tread	Grip Strut Tread	Steps	Step Width	Platform Height	H	D	W	Wt. (lbs.) Perforated	Wt. (lbs.) Grip Strut
WITHOUT HANDRAILS									
*KDSR002166	*KDSR002162	2	16	20	20	19	20	24	29
*KDSR002246	*KDSR002242	2	24	20	20	19	28	30	35
*KDSR003166	*KDSR003162	3	16	30	30	27	20	34	42
KDSR003246	KDSR003242	3	24	30	30	27	28	41	47
KDSR004166	KDSR004162	4	16	40	40	35	23	47	55
KDSR004246	KDSR004242	4	24	40	40	35	31	55	60
WITH HANDRAILS									
KDSR102166	KDSR102162	2	16	20	52	19	20	28	33
KDSR102246	KDSR102242	2	24	20	52	19	28	45	50
KDSR103166	KDSR103162	3	16	30	62	27	20	46	52
KDSR103246	KDSR103242	3	24	30	66	27	28	56	62
KDSR104166	KDSR104162	4	16	40	76	35	23	58	66
KDSR104246	KDSR104242	4	24	40	76	35	31	66	78
KDSR105166	KDSR105162	5	16	50	86	42	23	67	76
KDSR105246	KDSR105242	5	24	50	86	42	31	79	91
KDSR106166	KDSR106162	6	16	60	96	50	27	76	87
KDSR106246	KDSR106242	6	24	60	96	50	34	109	119
KDSR107166	KDSR107162	7	16	70	106	57	27	95	107
KDSR107246	KDSR107242	7	24	70	106	57	34	121	124
KDSR108246	KDSR108242	8	24	80	116	63	34	151	158
KDSR109246	KDSR109242	9	24	90	126	70	34	170	185
KDSR110246	KDSR110242	10	24	100	136	77	34	198	209
KDSR111246	KDSR111242	11	24	110	146	83	34	214	232
KDSR112246	KDSR112242	12	24	120	156	90	34	228	248
KDSR113246	KDSR113242	13	24	130	166	97	39	289	310
KDSR114246	KDSR114242	14	24	140	176	104	39	298	321
KDSR115246	KDSR115242	15	24	150	186	110	39	311	335
KDSR116246	KDSR116242	16	24	160	196	116	42	322	346

H = Overall Height D = Overall Depth W = Overall Width

For All-Welded construction in place of knock down on 2 thru 12 step models, use the prefix "WL" in place of "KD" and for 13-16 steps models, use the prefix "RW" in place of "KD". "RW" represents partial knock down construction.

*Ships UPS

†16" step models only



Standard Rolling Series

1-800-565-2165

Full Line Climbing & Access Products / Standard Rolling Series

Aluminum Rolling Ladders (AR)

Construction & Features:

- 3/4" Sch. 40, 1 1/16" O.D. aluminum pipe
- Standard mill finish
- First step actuated locking system standard on 8 step and larger models
- Spring loaded casters standard on 7 step and smaller models
- Standard Ribber or Grip Strut™ slip-resistant tread designs
- 14" standard deep top platform
- Optional 21" & 28" deep top platforms
- Ship all-welded
- Non-Marking wheels
- 350 lb. Rated Capacity
- Optional Step-Lock available on 4 thru 7 step models



WLAR106244



WLAR002165

Aluminum Rolling Options

	Standard Feature	Optional Feature
Stair Treads		
Grip Strut	<input type="radio"/>	
Ribbed	<input type="radio"/>	
Top Step		
14"	<input type="radio"/>	
21"		<input type="radio"/>
28"		<input type="radio"/>

Locking System

Spring Loaded Casters	<input type="radio"/>	
1-7 Step		
StepLock	<input type="radio"/>	
8-12 Step		
4-7 Step		<input type="radio"/>

Shelf

Hanging Shelf	<input type="radio"/>	
---------------	-----------------------	--

California OSHA Requirements

For more rigorous CAL-OSHA requirements for ladders with top platforms 50" and higher, the following parts are required to meet code:

Part #	Models
C	5 – 12 steps

		Steps	Step Width	Platform Height	H	D	W	Wt. (lbs.) Perforated	Wt. (lbs.) Grip Strut
Ribbed Tread	Grip Strut Tread								
All-Welded									
WITHOUT HANDRAILS									
*WLAR001164	*WLAR001165	1	16	12	12	22	19	10	9
*WLAR001244	*WLAR001245	1	24	12	12	22	27	11	10
WLAR002164	WLAR002165	2	16	20	20	24	19	15	13
WLAR002244	WLAR002245	2	24	20	20	24	28	19	16
WLAR003164	WLAR003165	3	16	30	30	30	21	21	17
WLAR003244	WLAR003245	3	24	30	30	30	28	26	21
WLAR004164	WLAR004165	4	16	40	40	36	21	26	21
WLAR004244	WLAR004245	4	24	40	40	36	29	35	28
WITH HANDRAILS									
WLAR102164	WLAR102165	2	16	20	50	24	19	17	15
WLAR102244	WLAR102245	2	24	20	50	24	28	21	17
WLAR103164	WLAR103165	3	16	30	60	31	21	24	19
WLAR103244	WLAR103245	3	24	30	60	31	29	28	22
WLAR104164	WLAR104165	4	16	40	70	37	21	31	25
WLAR104244	WLAR104245	4	24	40	70	37	30	34	29
WLAR105164	WLAR105165	5	16	50	80	44	21	36	32
WLAR105244	WLAR105245	5	24	50	80	44	30	46	42
WLAR106164	WLAR106165	6	16	60	90	51	25	51	46
WLAR106244	WLAR106245	6	24	60	90	51	33	64	58
WLAR107164	WLAR107165	7	16	70	100	57	24	63	57
WLAR107244	WLAR107245	7	24	70	100	57	32	70	63
WLAR108244	WLAR108245	8	24	80	110	60	33	89	76
WLAR109244	WLAR109245	9	24	90	120	67	33	95	81
WLAR110244	WLAR110245	10	24	100	130	73	33	103	90
WLAR111244	WLAR111245	11	24	110	140	80	33	106	98
WLAR112244	WLAR112245	12	24	120	156	86	33	118	110

H = Overall Height D = Overall Depth W = Overall Width

*Ships UPS



Standard Rolling Series

1-800-565-2165

Full Line Climbing & Access Products / Standard Rolling Series

Stainless Steel Rolling Ladders (SS)

Construction & Features:

- 1" Type 304 tubular steel construction
- Mill finish standard
- Optional Buffed or Clean Room finish
- First step actuated locking system standard on 4 step and larger models
- Spring loaded casters standard on 3 step and smaller models
- 9.5" standard deep top platform
- Standard Grip Strut slip-resistant tread design
- Optional 19.0" & 28.5" deep top platforms
- Ships all-welded
- Non-marking wheels
- 350 lb. Rated capacity



Stainless Steel Rolling Options

	Standard Feature	Optional Feature
Stair Treads		
Grip Strut	<input type="radio"/>	
Top Step		
9.5"	<input type="radio"/>	
19.0"		<input type="radio"/>
28.5"		<input type="radio"/>

Locking System

Spring Loaded Casters	
1-3 Step	<input type="radio"/>
StepLock	
4-12 Step	<input type="radio"/>

California OSHA Requirements

For more rigorous CAL-OSHA requirements for ladders with top platforms 50" and higher, the following parts are required to meet code:

Part #	Models
C	5 - 12 steps

Grip Strut Tread All-Welded	Steps	Step Width	Platform Height	Overall Height	Overall Depth	Overall Width	Wt. (lbs.)
WITHOUT HANDRAILS							
*WLSS001162	1	16	12	12	21	19	14
*WLSS001242	1	24	12	12	21	27	18
WLSS002162	2	16	20	20	23	19	22
WLSS002242	2	24	20	20	23	28	32
WLSS003162	3	16	30	30	29	21	35
WLSS003242	3	24	30	30	29	28	41
WLSS004162	4	16	38	38	35	21	45
WLSS004242	4	24	38	38	35	29	51
WITH HANDRAILS							
WLSS102162	2	16	20	50	23	19	29
WLSS102242	2	24	20	50	23	28	35
WLSS103162	3	16	30	60	30	21	41
WLSS103242	3	24	30	60	30	29	50
WLSS104162	4	16	38	68	36	21	53
WLSS104242	4	24	38	68	36	30	59
WLSS105162	5	16	48	78	43	21	62
WLSS105242	5	24	48	78	43	30	74
WLSS106162	6	16	57	87	50	25	98
WLSS106242	6	24	57	87	50	33	109
WLSS107162	7	16	66	97	56	24	107
WLSS107242	7	24	66	97	56	33	119
WLSS108242	8	24	76	106	59	33	120
WLSS109242	9	24	86	116	59	33	152
WLSS110242	10	24	95	125	66	33	162
WLSS111242	11	24	105	135	72	33	175
WLSS112242	12	24	114	144	79	33	181

Buffed or Clean Room finish available. Call Tri-Arc for pricing and details.

*Ships UPS



1-800-565-2165

Warranty/Return Policy

WARRANTY

Seller warrants Goods manufactured by it will be free from defects in material and workmanship for one (1) year following the date of shipment. If any of the Goods are found by Seller to be defective, such Goods will, at Seller's option, be replaced or repaired at Seller's cost. The parties hereto expressly agree that Buyer's sole and exclusive remedy against the Seller shall be for the repair or replacement of defective Goods as provided herein. The sole purpose of the stipulated exclusive remedy shall be to provide the Buyer with free repair and replacement of defective Goods in the manner provided herein. The exclusive remedy shall not be deemed to have failed of its essential purpose so long as the Seller is willing and able to repair or replace defective Goods in the prescribed manner. No affirmation of Seller, by words or action, other than as set forth in this warranty shall constitute a warranty or become the basis of the bargain between Seller and Buyer. Goods which may be sold by Seller but which are not manufactured by Seller are not warranted by Seller, but are sold only with the warranties, if any of the manufacturers thereof. This warranty does not cover labor or other costs or expenses to remove or install any defective, repaired or replaced Goods. Seller's warranty does not apply to any Goods which have been subjected to misuse, mishandling, misapplication, neglect (including but not limited to improper maintenance), accident, improper installation, modification (including but not limited to use of unauthorized parts or attachments), or adjustment of repair performed by anyone other than Seller or one of Seller's authorized agents. Any claim by Buyer with reference to the goods sold hereunder shall be deemed waived by the Buyer unless submitted in writing to Seller within ten (10) days following the date Buyer discovered or by reasonable inspection should have discovered any claimed breach of the foregoing warranty. Any cause of action for breach of the foregoing warranty shall be brought within one year from the date the alleged breach was discovered or should have been discovered which ever occurs first.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE NOT EXPRESSLY SET FORTH HEREIN.

RETURN POLICY

If for any reason, you are not satisfied with any standard product you receive from us, please let us know within 30 days of receipt of your order. All items to be returned must be authorized, and assigned an RMA number by Tri-Arc Manufacturing. We **will not accept** any Returns without a Tri-Arc issued RMA number. All items must be returned in original packaging (or a reasonable substitute) and prepaid, within a 15 day period of RMA issue. A 20% re-stocking fee will be applied to all standard items, 30% on all non-standard items (i.e. deep top platforms, etc). All custom fabricated items are non-returnable.

LADDER INSPECTION PROCEDURE

Shipments made are FOB factory. Each product has been inspected before shipment. Consignee is responsible to inspect material at time of delivery, and should refuse shipment or make written notice to carrier upon receipt of damaged materials. Carriers will not accept claims if damage is not noted at time of delivery.

Contact: Ron Schwartz, Vice President
email: ron@tri-arc.com

390 Fountain Street, Pittsburgh, PA 15238
Toll Free 800-565-2165 Fax 800-530-8329