



Stock Picking Series

1-800-565-2165

Full Line Climbing & Access Products / Stock Picking Series

Tri-Arc's stock picking product line offers a wide array of stocking and retrieval ladders for all types of applications and environments. These products are ideal for retail and warehouse stocking. All models comply with **OSHA 1910.29 & ANSI A14.7**

Stock Picking Options

	Standard Feature	Optional Feature
Stair Treads		
Perforated	<input type="radio"/>	
Grip Strut	<input type="radio"/>	
Safety Walk		<input type="radio"/>
Top Step		
20"	<input type="radio"/>	
30"		<input type="radio"/>
Locking System		
StepLock	<input type="radio"/>	
Shelf		
Hanging Shelf		<input type="radio"/>

California OSHA Requirements

For more rigorous CAL-OSHA requirements for ladders with top platforms 50" and higher, the following parts are required to meet code: Contact us for pricing.

Part #	Models
C	6 – 12 steps

Stock Picking (SP)

Construction & Features:

- Same construction and features as Steel Rolling Ladder
- Standard 20" deep top platform
- Two 50 lb. capacity shelves standard on 6 and 7 step models
- Three 50 lb. capacity shelves standard on 8 step and larger models
- 24" Wide steps standard on all sizes
- Standard Perforated or Grip Strut™ tread design
- 450 lb. rated capacity
- Optional 30" deep top platform
- Optional Safety Walk tread



Perforated Tread	Grip Strut Tread	Steps	Step Width	Platform Height	H	D	W	Wt. (lbs.)	
								Perforated	Grip Strut
All-Welded									
WLSPP106246	WLSPP106242	6	24	60	90	57	34	160	168
WLSPP107246	WLSPP107242	7	24	70	100	64	34	174	183
WLSPP108246	WLSPP108242	8	24	80	110	70	34	203	213
WLSPP109246	WLSPP109242	9	24	90	120	77	34	232	244
WLSPP110246	WLSPP110242	10	24	100	130	84	34	250	263
WLSPP111246	WLSPP111242	11	24	110	140	90	34	266	280
WLSPP112246	WLSPP112242	12	24	120	150	97	34	286	302

H = Overall Height D = Overall Depth W = Overall Width

Stock Cart

Construction & Features:

- Available in either 3 or 4 step models
- Large shelf space for stocking and retrieval
- Three step model available standard with 2 or 3 shelves
- Four step model standard with 3 shelves
- Slip-resistant solid 3M Safety Walk tread design



Stock Cart Options

	Standard Feature	Optional Feature
Stair Treads		
Safety Walk	<input type="radio"/>	

Safety Walk Part #	Steps	Shelves	Overall W x L x H	WT (lbs.)
WLLS103023	3	2	22 x 43 x 49	87
WLLS103033	3	3	22 x 43 x 49	107
WLLS104033	4	3	22 x 56 x 74	134

H = Overall Height D = Overall Depth W = Overall Width



Stock Picking Series

1-800-565-2165

Full Line Climbing & Access Products / Stock Picking Series

Shelf Ladders

Powered Shelf Ladder Construction & Features:

- Same construction and features as Steel Rolling Ladder
- Powered shelf operated by 12V marine battery & winch
- Top platform mounted push-button controls
- Top & bottom limit switch automatically stops shelf at top and bottom
- Built in battery charger
- 300 lb. rated shelf capacity
- 24" standard deep top platform
- Large 24"x19" shelf
- 24" wide steps std. on all sizes
- Standard Perforated or Grip Strut™ tread design
- First step actuated locking system std. on all models
- 350 lb. rated capacity

Powered (PL)



RWPL109246

Manual (CL)



WLCL107246

Manual Shelf Ladder Construction & Features:

- Same construction as Powered Shelf Ladder above
- Shelf operated by manually controlled hand crank
- 200 lb. Rated shelf capacity
- Large 24"x18" shelf

Powered Model

Perforated Tread		Grip Strut Tread		Steps	Step Width	Platform Height	H	D	W	Wt. (lbs.) Perforated	Wt. (lbs.) Grip Strut
KD150	All-Welded	KD150	All-Welded								
N/A	WLPL105246	N/A	WLPL105242	5	24	50	92	71	34	500	508
N/A	WLPL106246	N/A	WLPL106242	6	24	60	102	79	34	516	525
N/A	WLPL107246	N/A	WLPL107242	7	24	70	112	86	34	532	543
N/A	WLPL108246	N/A	WLPL108242	8	24	80	122	93	39	548	560
RWPL109246	N/A	RWPL109242	N/A	9	24	90	132	99	39	564	578
RWPL110246	N/A	RWPL110242	N/A	10	24	100	142	105	39	605	620
RWPL111246	N/A	RWPL111242	N/A	11	24	110	152	112	39	646	663
RWPL112246	N/A	RWPL112242	N/A	12	24	120	162	119	39	687	705
RWPL113246	N/A	RWPL113242	N/A	13	24	130	172	125	39	728	748

Manual Model

N/A	WLCL105246	N/A	WLCL105242	5	24	50	92	71	34	450	457
N/A	WLCL106246	N/A	WLCL106242	6	24	60	102	79	34	466	475
N/A	WLCL107246	N/A	WLCL107242	7	24	70	112	86	34	482	493
N/A	WLCL108246	N/A	WLCL108242	8	24	80	122	93	39	498	510
RWCL109246	N/A	RWCL109242	N/A	9	24	90	132	99	39	514	528
RWCL110246	N/A	RWCL110242	N/A	10	24	100	142	105	39	555	570
RWCL111246	N/A	RWCL111242	N/A	11	24	110	152	112	39	596	613
RWCL112246	N/A	RWCL112242	N/A	12	24	120	162	119	39	637	655
RWCL113246	N/A	RWCL113242	N/A	13	24	130	172	125	39	678	698

H = Overall Height D = Overall Depth W = Overall Width

Shelf Ladder Options

Stair Treads	Standard Feature	Optional Feature
Perforated	<input type="radio"/>	
Grip Strut	<input type="radio"/>	
Safety Wall		<input type="radio"/>

Locking System

StepLock	<input type="radio"/>
----------	-----------------------



1-800-565-2165

Warranty/Return Policy

WARRANTY

Seller warrants Goods manufactured by it will be free from defects in material and workmanship for one (1) year following the date of shipment. If any of the Goods are found by Seller to be defective, such Goods will, at Seller's option, be replaced or repaired at Seller's cost. The parties hereto expressly agree that Buyer's sole and exclusive remedy against the Seller shall be for the repair or replacement of defective Goods as provided herein. The sole purpose of the stipulated exclusive remedy shall be to provide the Buyer with free repair and replacement of defective Goods in the manner provided herein. The exclusive remedy shall not be deemed to have failed of its essential purpose so long as the Seller is willing and able to repair or replace defective Goods in the prescribed manner. No affirmation of Seller, by words or action, other than as set forth in this warranty shall constitute a warranty or become the basis of the bargain between Seller and Buyer. Goods which may be sold by Seller but which are not manufactured by Seller are not warranted by Seller, but are sold only with the warranties, if any of the manufacturers thereof. This warranty does not cover labor or other costs or expenses to remove or install any defective, repaired or replaced Goods. Seller's warranty does not apply to any Goods which have been subjected to misuse, mishandling, misapplication, neglect (including but not limited to improper maintenance), accident, improper installation, modification (including but not limited to use of unauthorized parts or attachments), or adjustment of repair performed by anyone other than Seller or one of Seller's authorized agents. Any claim by Buyer with reference to the goods sold hereunder shall be deemed waived by the Buyer unless submitted in writing to Seller within ten (10) days following the date Buyer discovered or by reasonable inspection should have discovered any claimed breach of the foregoing warranty. Any cause of action for breach of the foregoing warranty shall be brought within one year from the date the alleged breach was discovered or should have been discovered which ever occurs first.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE NOT EXPRESSLY SET FORTH HEREIN.

RETURN POLICY

If for any reason, you are not satisfied with any standard product you receive from us, please let us know within 30 days of receipt of your order. All items to be returned must be authorized, and assigned an RMA number by Tri-Arc Manufacturing. We **will not accept** any Returns without a Tri-Arc issued RMA number. All items must be returned in original packaging (or a reasonable substitute) and prepaid, within a 15 day period of RMA issue. A 20% re-stocking fee will be applied to all standard items, 30% on all non-standard items (i.e. deep top platforms, etc). All custom fabricated items are non-returnable.

LADDER INSPECTION PROCEDURE

Shipments made are FOB factory. Each product has been inspected before shipment. Consignee is responsible to inspect material at time of delivery, and should refuse shipment or make written notice to carrier upon receipt of damaged materials. Carriers will not accept claims if damage is not noted at time of delivery.

Contact: Ron Schwartz, Vice President
email: ron@tri-arc.com

390 Fountain Street, Pittsburgh, PA 15238
Toll Free 800-565-2165 Fax 800-530-8329